



BELLISLIMO DRY

GCR 100 27 24D E31 EC



| | |
|---|--------------------|
| Model | BelliSlimo Dry 100 |
| Real Volume | 80 L |
| Rated power | 1200/2400 W |
| Heating time Δt 45K (15 - 60°C)**80°C | 2:36 h:min |
| Annual consumption of electricity AEC | 1242/1272 kWh |
| Energy class | B |
| Height | 1.287 m |
| Width | 0.490 m |



| | |
|-----------------------------|-----------|
| Depth | 0.280 m |
| Mounting | Universal |
| Load profile | M |
| V40 | 154/105 L |
| T _{out of the box} | 80 °C |
| MAX40 | 154/105 L |



Information

GCR 100 27 24D E31 EC

- DRY HEATING ELEMENT
- DOUBLE TANK: Two water tanks with separate heating elements
- WORK ON DEMAND MODE: BelliSlimo Dry thinks for you and calculates by itself the time required for your water to heat up just on time
- ENERGY EFFICIENT: the highest possible in its range - Energy class B
- REVERSIBLE: Can be mounted vertically or horizontally
- ECO SMART MODE: ensures optimum management for low energy consumption obtaining the highest possible in its range Energy Class B
- QUICK FIRST SHOWER
- VACATION MODE
- BOOST FUNCTION
- REVERSE COUNTER: Counts down until the electric water heaters reaches the desired temperature

Serie information

GCR 100 27 24D E31 EC

New for 2020, BelliSlimo Dry is the solution where space-saving in regions with hard or aggressive water is a key priority. This high-tech double tank electric water heater with an exclusive Italian design, 28 cm in depth for an easy installation, has two dual dry heating elements that grant a reliable protection against lime scale.

BelliSlimo Dry is reversible and appears both as a horizontal and a vertical piece of art for everyone's taste and space. The range offers models with storage capacity from 50 to 100 litres.



- DRY HEATING ELEMENT
- DOUBLE TANK: Two water tanks with separate heating elements
- WORK ON DEMAND MODE: BelliSlimo Dry thinks for you and calculates by itself the time required for your water to heat up just on time
- ENERGY EFFICIENT: the highest possible in its range - Energy class B
- REVERSIBLE: Can be mounted vertically or horizontally
- ECO SMART MODE: ensures optimum management for low energy consumption obtaining the highest possible in its range Energy Class B
- QUICK FIRST SHOWER
- VACATION MODE
- BOOST FUNCTION
- REVERSE COUNTER: Counts down until the electric water heaters reaches the desired temperature