SHOWER TRAYS (ACRYLIC) ARCHITECTURA


PRODUCT INFORMATION

1. POSITION



Model	UDA1280ARA215V	
Collection	Architectura	
PROJECTS	PLUS	
Width	800 mm	
Height	15 mm	
Depth	15 mm	
Length	1200 mm	
Weight	16 kg	
description	MetalRim Technical information:: The VILBOGRIP anti-slip finish (anti-slip class C) can be ordered for the colour 01., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays in the Colorline colours are classified as anti-slip class B., From size 1400 x 900 two supports (U82990000) are required., The shower trays in the new colors Colorline are not available for all dimensions. Outlet cover in White Alpine (01), for matt colours, outlet cover in matching matt colours. Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray. Not included in scope of delivery:: All shower trays are supplied without support/base., With MetalRim and an edge height of 15mm, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm	

material Acrylic



PROJECTS

Specification texts

Architectura; Shower tray; Size: 1200 x 800 x 15 mm; Rectangular; MetalRim; Acrylic; MetalRim; Outlet cover in White Alpine (01), for matt colours, outlet cover in matching matt colours. Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.; Not included in scope of delivery:: All shower trays are supplied without support/base., With MetalRim and an edge height of 15mm, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: The VILBOGRIP antislip finish (anti-slip class C) can be ordered for the colour 01., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays in the Colorline colours are classified as anti-slip class B., From size 1400 x 900 two supports (U82990000) are required., The shower trays in the new colors Colorline are not available for all dimensions.


COLOURS

Grey	UDA1280ARA215V-3S	4051202383657
Brown	UDA1280ARA215V-4S	4051202383855
Star White	UDA1280ARA215V-96	4051202289331
Stone White	UDA1280ARA215V-RW	4051202851125
white (alpin)	UDA1280ARA215V-01	4051202286453
Anthracite	UDA1280ARA215V-1S	4051202383251
Crème	UDA1280ARA215V-2S	4051202383459



TECHNICAL DRAWINGS

UDA1280ARA215V 1200 1200 A 210 A





TECHNICAL DRAWINGS

UDA1280ARA215V 1200 A 210 A

